

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| L1 | 8900 | (375/239 375/130 375/135 375/146 375/295- 296 375/309 375/312 375/377 702/66).ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:06 |
| L2 | 2 | ((first near coil) with (capacitor or capacitance) with between with (second near coil) same (frequency \$1response or (frequency near response)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:09 |
| L4 | 114 | ((coil) near2 first) with ((coil) near2 second) same (op \$1amp or opamp or (operational near amplifier)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:14 |
| L6 | 348 | ((coil or inductor or impedance or impedence) near2 first) with ((coil or inductor or impedance or impedence) near2 second) same (op\$1amp or opamp or (operational near amplifier)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:15 |

| | | | | | | |
|----|----|--|---|----|----|------------------|
| L7 | 63 | ((coil or inductor or impedance or impedance) near2 first) with ((coilr or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier)) same (frequency or spectrum) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:16 |
| L8 | 0 | ((coil or inductor or impedance or impedance) near2 first) with ((coilr or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier)) and anritsu | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:19 |
| L9 | 27 | ((coil or inductor or impedance or impedance) near2 first) with ((coilr or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier)) and ((frequency or spectrum) near2 (control or adjust or shap\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:32 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| L10 | 0 | ((coil near2 first) same (coil near2 second) with capacitor with bewteen) same (op\$1amp or opamp or (operational near amplifier)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:33 |
| L12 | 6 | ((coil near2 first) same (coil near2 second) with capacitor with between) same (op\$1amp or opamp or (operational near amplifier)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:33 |
| L14 | 119 | Shiratsuchi near Satoru Fujinuma near Kazuhiro Saito near Sumio | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:33 |
| L16 | 2 | ((coil or impedance) near2 first) same ((coil or impedance) near2 second) same (capacitor or capacitance) and (op\$1amp or opamp or (operational near amplifier)) same ((composite or combining) near2 circuit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:34 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| L18 | 13 | ((coil or impedance) near2 first) same ((coil or impedance) near2 second) same (capacitor or capacitance) and (op\$1amp or opamp or (operational near amplifier)) and ((composite or combining) near2 circuit) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:34 |
| L20 | 22 | ((first or input) near (coil or impedance)) with (capacitor or capacitance) with between with ((second or output) near (coil or impedance)) same (op\$1amp or opamp or operational \$1amplifier or operational \$1amplifier or (operational near amplifier)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:34 |
| L22 | 3 | ((coil or impedance) near2 first).clm. and ((coil or impedance) near2 second). clm. and capacitor.clm. and (op\$1amp or opamp or (operational near amplifier)).clm. and (offset near (adjust or adjustment or adjusting)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:47 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| L24 | 27 | ((coil or inductor or impedance or impedance) near2 first) with ((coilr or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier))and (((frequency or spectrum) near2 (control or adjust or shap\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:48 |
| L25 | 48 | ((coil or inductor or impedance or impedance) near2 first) with ((coil or inductor or impedance or impedance) near2 second) same (op\$1amp or opamp or (operational near amplifier))and (((frequency or spectrum) near2 (control or adjust or shap\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 12:48 |
| L32 | 20 | Shiratsuchi near Satoru Fujinuma near Kazuhiro Saito near Sumio and coil | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 13:04 |
| L33 | 12 | Shiratsuchi near Satoru Fujinuma near Kazuhiro Saito near Sumio and ((frequency or spectrum) near2 (control or adjust or shap \$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 13:06 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| L35 | 43 | anritsu and (((frequency or spectrum) near2 (control or adjust or shap\$3)) and (coil or inductor or impedance or impedence) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 13:07 |
| L36 | 7 | anritsu and (((frequency or spectrum) near2 (control or adjust or shap\$3)) and (coil or inductor or impedance or impedence) and (op\$1amp or opamp or operational \$1amplifier or operational \$1amplifier or (operational near amplifier)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 13:07 |
| L40 | 0 | 38 and 39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 13:54 |
| L41 | 5 | (add or add\$3 or combine or combin\$4 or composite or sum or summ\$3) near3 ("DC" or direct\$1current or (direct near current)) near2 (term or component) and anritsu | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 13:55 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| L42 | 34 | (add or add\$3 or combine or combin\$4 or composite or sum or summ\$3) near3 ("DC" or direct\$1current or (direct near current)) near2 (term or component) and 1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/06/09 13:56 |
|-----|----|---|---|----|----|---------------------|

6/ 9/ 2009 2:24:13 PM

C:\Documents and Settings\svlahos\My Documents\EAST\Workspaces\10579385.
wsp